


PART 2 Signage Manual

1.0 Detailed Junction Signage Scheme for Principal Visitor Sites (including a demonstration scheme for Leamaneh junction)

Detailed junction signage scheme for principal visitor sites

Maps 1 to 7, which follow, set out a main road junction signage scheme for Burren visitor sites that is in accordance with the principles and guidance of this Plan. By way of example a detailed signage layout for Leamaneh junction is then illustrated. Maps 1 to 4 illustrate the overall junction scheme. Maps 5 to 7 are schematic maps showing the three of the villages in more detail. In the case of Doolin, signage for attraction sites is combined with signage for motorists showing parking and information points within the village.



Summary of the overall scheme

1. The scheme employs the same signage approach for large visitor sites that is employed for towns and villages. This consists of a sequence of signs comprising advance direction sign, direction sign and confirmatory sign. Examples of these different types of sign are given in Section 3.0 following. However, signage for visitor sites is subsidiary to the general directional signage and the corresponding signage for visitor sites will not be provided in all situations. This particularly applies to visitor sites in or beside villages where it is reasonable to assume that the visitor can navigate to the attraction site using the signs to the village or town.
2. All existing signage for visitor sites will be removed. Much of the existing signage has an advertising purpose which is unacceptable in the Burren landscape.
3. From Kilcolgan on the N18 in the north, Fountain Cross on the N85 to the south-east and south of Lehigh on the N67, directional signs and confirmatory signs will sign the Burren, not individual sites within the Burren.
4. From Kinvarra in the north, Gort in the East and Doolin, Lisdoonvarna, Kilfenora and Corrofin in the south (the edges of the Burren), the large visitor sites will be signed (confirmatory signs, advance directional signs and directional signs) to facilitate at least one access route to the attraction site.

5. The scheme provides for a signed route between the N67 and Aillwee Cave, The Burren Perfumery, Caherconnell Fort, The Burren Centre Kilfenora and Doolin Cave.
6. The signage scheme primarily signs traffic along the national and regional road systems. The Burren Perfumery is the only large visitor site that is signed via local county roads.
7. No signs are provided for Poul nabrone from the national road system, given the limited visitor facilities at the site.
8. Signage will be provided within the Burren to large sites on the edge or outside the Burren i.e. the Cliffs of Moher and Coole Park.
9. At any junction, in the interests of road safety, a maximum of four places will be signed in any one direction e.g. at Leamaneh junction, heading north, the four places will be Ballyvaghan, Carran, Aillwee Cave and Caherconnell Fort. Normally, not more than three places will be signed.
10. The scheme provides for supplementary confirmatory signs (SCS) on the Burren side of the gateway villages. These signs (see example in Section 3) will list visitor attractions not listed on the standard confirmatory sign, because they are on another route.

The Leamaneh Junction layout

Leamaneh is not a typical Burren junction. The only other junction in the Burren which presents a comparable level of difficulty for signing visitor sites is the Newtown junction on the N67 at the northern end of the R 480, outside Ballyvaghan. Leamaneh shows that the practical application of key principles of the Plan, set out in Part 1, may involve difficult choices. The principles in question are:-

- i. The Burren is a destination of international renown that requires an effective and attractive signage plan for visitors,
- ii. The design and siting of signs must not compromise road safety considerations.
- iii. Reliance for navigation should be placed on the standard directional signage to towns and villages,
- iv. The design, location and maintenance of signs should respect the exceptional quality of the Burren landscape,
- v. Signs are only one means of conveying information
- vi. Signs have an important role especially directional signage near the end of a journey and to otherwise difficult to find places, and

The signage layout illustrated involved the following reasoning and decisions:-


1. Applying the 'four places in one direction' rule, which relates to traffic safety considerations, it is only possible to sign two visitor sites north of Leamaneh. These are Aillwee Cave and Caherconnell Fort. The Burren Perfumery site meets the criteria for signing but there is not the space to sign the site from this junction.
2. Poul nabrone does not meet the criteria for signing as a large visitor site (inadequate site facilities) but it would have been desirable to sign the site from the junction given the proximity of the site. However the 'four places in one direction' rule means there is no space for Poul nabrone signs at the junction (but note that the scheme does incorporate a confirmatory sign on the R480 that includes both Poul nabrone and the Burren Perfumery).
3. The Leamaneh junction bisects the site of Leamaneh Castle, which is a national monument. Both the R476 and the R480, which make up the junction, are

designated scenic routes in the county development plan. Therefore, it is important that signage does not dominate the landscape at this location. With this in mind the visitor signage scheme does not have an advance directional sign (ADS) on the R480 for the Burren Centre Kilfenora and the Corrofin Heritage Centre because this ADS would interfere with the landscape in the vicinity of the castle and it is considered that the ADS for Kilfenora and Corrofin villages is sufficient. Because of the large number of visitors to the sites in question, it is considered necessary to have a confirmatory sign on the R480 for Aillwee Cave, Burren Perfumery, Poul nabrone and Caherconnell Fort. This sign will have a significant landscape impact but the scheme places the sign some distance from the junction, out of view of the castle.


4. While effective signing at this junction requires several new signs, the proposed scheme will result in a significant reduction in signage taking into account the fact that the scheme involves removing the existing large visitor site signboards at the junction, which are as much advertising signs as directional signs

(It should be noted that the 'Before' junction image in this document shows the 2007 situation. The 'After' image shows the situation when the visitor signage scheme is implemented but does not take account of new general directional signage for the junction, shown on the junction diagram, which is due to be erected in 2008. As the precise siting of these new signs has not been determined it is not realistic to include them in the graphic).


MAP 1. Directional Visitor Signage at Junctions




Map 2. Directional Visitor Signage at Junctions




MAP 3. Directional Visitor Signage at Junctions




MAP 4. Directional Visitor Signage at Junctions





MAP 5 Corrofin detail




MAP 6 Lisdoonvarna detail

MAP 7 Doolin detail







x' - height	70mm		
Letter colour	WHITE	SIGN FACE	
Letter background	BROWN	Width	1855mm
Sign border	WHITE	Height	995mm
Material/Class 2		Area	1.84sq.m
Note Edge of sign must be at least 1250 from edge of carriageway			

Notes

1. "R480" Numerical Height @ 6s/w

BURREN VISITOR SIGNAGE	R476/R480 JUNCTION AT LEAMANEH	Sign Reference No: A
------------------------	--------------------------------	----------------------




'x' - height	70mm		
Letter colour	WHITE	SIGN FACE	
Letter background	BROWN	Width	1850mm
Sign border	WHITE	Height	9950mm
Material/Class 2		Area	1.84sq.m

Note Edge of sign must be at least 1250 from edge of carriageway

Notes

1. "R480" Numerical Height @ 6s/w

BURREN VISITOR SIGNAGE	R476/R480 JUNCTION AT LEAMANEH	Sign Reference No: B
------------------------	--------------------------------	----------------------

		<table><tr><td>'x' - height</td><td>50mm</td><td>WHITE</td><td>SIGN FACE</td></tr><tr><td>Letter colour</td><td>BROWN</td><td>Width</td><td>1085mm</td></tr><tr><td>Letter background</td><td>WHITE</td><td>Height</td><td>505mm</td></tr><tr><td>Sign border</td><td>GREY</td><td>Area</td><td>0.81sq.m</td></tr><tr><td>Sign background</td><td colspan="3">MaterialClass 2</td></tr><tr><td colspan="4">Note Edge of sign must be at least 1250 from edge of carriageway</td></tr></table>		'x' - height	50mm	WHITE	SIGN FACE	Letter colour	BROWN	Width	1085mm	Letter background	WHITE	Height	505mm	Sign border	GREY	Area	0.81sq.m	Sign background	MaterialClass 2			Note Edge of sign must be at least 1250 from edge of carriageway			
'x' - height	50mm	WHITE	SIGN FACE																								
Letter colour	BROWN	Width	1085mm																								
Letter background	WHITE	Height	505mm																								
Sign border	GREY	Area	0.81sq.m																								
Sign background	MaterialClass 2																										
Note Edge of sign must be at least 1250 from edge of carriageway																											
BURREN VISITOR SIGNAGE	R476/R480 JUNCTION AT LEAMANEH	Sign Reference No: C																									

Uaimh, An Aill Bhui AILLWEE CAVE Cathair Chonaill CAHERCONNELL FORT		<table><tr><td>'x' - height</td><td>50mm</td><td></td><td></td></tr><tr><td>Letter colour</td><td>WHITE</td><td colspan="2">SIGN FACE</td></tr><tr><td>Letter background</td><td>BROWN</td><td>Width</td><td>1085mm</td></tr><tr><td>Sign border</td><td>WHITE</td><td>Height</td><td>505mm</td></tr><tr><td>Sign background</td><td>GREY</td><td>Area</td><td>0.81sq.m</td></tr><tr><td colspan="4">MaterialClass 2</td></tr><tr><td colspan="4">Note Edge of sign must be at least 1250 from edge of carriageway</td></tr></table>	'x' - height	50mm			Letter colour	WHITE	SIGN FACE		Letter background	BROWN	Width	1085mm	Sign border	WHITE	Height	505mm	Sign background	GREY	Area	0.81sq.m	MaterialClass 2				Note Edge of sign must be at least 1250 from edge of carriageway			
'x' - height	50mm																													
Letter colour	WHITE	SIGN FACE																												
Letter background	BROWN	Width	1085mm																											
Sign border	WHITE	Height	505mm																											
Sign background	GREY	Area	0.81sq.m																											
MaterialClass 2																														
Note Edge of sign must be at least 1250 from edge of carriageway																														
BURREN VISITOR SIGNAGE	R476/R480 JUNCTION AT LEAMANEH	Sign Reference No: D																												



Visitor sign

'x' - height	50mm			
Letter colour	WHITE	SIGN FACE		
Letter background	BROWN	Width	1415mm	
Sign border	WHITE	Height	550mm	
Sign background	GREY	Area	.71sq.m	
Material	Class 2			
Note Edge of sign must be at least 1250 from edge of carriageway				

BURREN VISITOR SIGNAGE	R476/R480 JUNCTION AT LEAMANEH	Sign Reference No: E
------------------------	--------------------------------	----------------------

R480

Uaimh An Aill Bhuí

AILLWEE CAVE

(Cumhráin Bóirne)

BURREN PERFUMERY

Poll na Brón

POULNABRONE

Cathair Chonaill

CAHERCONNELL FORT

km

13

9

6

5

'x' - height

70 or 80mm

Letter colour	WHITE	SIGN FACE
Letter background	BROWN	Width 1395mm
Sign border	WHITE	Height 1270mm
MaterialClass 2	Area 1.77sq.m	

Note Edge of sign must be at least 1250 from edge of carriageway

Notes

1. "R480" Numerical Height @ 6s/w

BURREN VISITOR SIGNAGE

R476/R480 JUNCTION AT LEAMANEH

Sign Reference No: F

BURREN VISITOR SIGNAGE		R476/R480 JUNCTION AT LEAMANEH		Sign Reference No: G
------------------------	--	--------------------------------	--	----------------------

R476

km

Brú na Bóirne, Cill Fionnúrach

BURREN CENTRE, KILFENORA 6

(*Aillte an Mhothairr*)

CLIFFS OF MOHER

29

'x' - height	70mm	WHITE	SIGN FACE
Letter colour	BROWN	Width	1845mm
Letter background	WHITE	Height	475mm
Sign border	WHITE	Area	0.87sq.m
MaterialClass 2	Note Edge of sign must be at least 1250 from edge of carriageway		

Notes

1. "R480" Numerical Height @ 6s/w

Before and After Images

Before



After



2.0 Signage Suite

Direction Signage for Motorists



'x' - height	70mm	WHITE	SIGN FACE
Letter colour	BROWN	Width	1850mm
Letter background	WHITE	Height	975mm
Sign border	Area	1.80sq.m	
MaterialClass 2	Note Edge of sign must be at least 1250 from edge of carriageway		

BURREN VISITOR SIGNAGE	CONFIRMATORY SIGN	Sign Reference No: 1
------------------------	-------------------	----------------------

'x' - height	70mm		
Letter colour	WHITE	SIGN FACE	
Letter background	BROWN	Width	1850mm
Sign border	WHITE	Height	1475mm
Material/Class 2		Area	2.72sq.m
Note Edge of sign must be at least 1250 from edge of carriageway			



'x' - height	70mm			
Letter colour	WHITE	SIGN FACE		
Letter background	BROWN	Width	1855mm	
Sign border	WHITE	Height	1260mm	
Material	Class 2	Area	2.34sq.m	
Note Edge of sign must be at least 1250 from edge of carriageway				

Notes
1. "R480" Numerical Height @ 6s/w

BURREN VISITOR SIGNAGE	ADVANCE DIRECTIONAL SIGN	Sign Reference No: 3
------------------------	--------------------------	----------------------

km 16 <i>B. Uí Bheachain</i> BALLYVAGHAN R480 km 8 <i>An Carn</i> CARRAN (L1014) <i>Cora Finne</i> CORROFIN R476 km 7 <i>Inis</i> ENNIS R476		Visitor sign <table><tr><td>'x' - height</td><td>50mm</td><td>WHITE</td><td>SIGN FACE</td></tr><tr><td>Letter colour</td><td>BROWN</td><td>Width</td><td>2410mm</td></tr><tr><td>Letter background</td><td>WHITE</td><td>Height</td><td>495mm</td></tr><tr><td>Sign border</td><td>GREY</td><td>Area</td><td>1.19sq.m</td></tr><tr><td>Sign background</td><td colspan="3">MaterialClass 2</td></tr><tr><td colspan="4">Note Edge of sign must be at least 1250 from edge of carriageway</td></tr></table>		'x' - height	50mm	WHITE	SIGN FACE	Letter colour	BROWN	Width	2410mm	Letter background	WHITE	Height	495mm	Sign border	GREY	Area	1.19sq.m	Sign background	MaterialClass 2			Note Edge of sign must be at least 1250 from edge of carriageway			
'x' - height	50mm	WHITE	SIGN FACE																								
Letter colour	BROWN	Width	2410mm																								
Letter background	WHITE	Height	495mm																								
Sign border	GREY	Area	1.19sq.m																								
Sign background	MaterialClass 2																										
Note Edge of sign must be at least 1250 from edge of carriageway																											
BURREN VISITOR SIGNAGE	DIRECTIONAL SIGNS		Sign Reference No: 4																								

Uaimh, An Aill Bhuí AILLWEE CAVE Sinseorlann An Chláir HERITAGE CENTRE, CORROFIN Cathair Chonaill CAHERCONNELL FORT		Visitor sign <table><tr><td>'x' - height</td><td>50mm</td><td>WHITE</td><td>SIGN FACE</td></tr><tr><td>Letter colour</td><td></td><td>BROWN</td><td>Width 2410mm</td></tr><tr><td>Letter background</td><td></td><td>WHITE</td><td>Height 495mm</td></tr><tr><td>Sign border</td><td></td><td>GREY</td><td>Area 1.19sq.m</td></tr><tr><td>Sign background</td><td></td><td></td><td></td></tr><tr><td>Material</td><td>Class 2</td><td></td><td></td></tr></table> Note Edge of sign must be at least 1250 from edge of carriageway	'x' - height	50mm	WHITE	SIGN FACE	Letter colour		BROWN	Width 2410mm	Letter background		WHITE	Height 495mm	Sign border		GREY	Area 1.19sq.m	Sign background				Material	Class 2			DIRECTIONAL SIGNS	Sign Reference No: 4a
'x' - height	50mm	WHITE	SIGN FACE																									
Letter colour		BROWN	Width 2410mm																									
Letter background		WHITE	Height 495mm																									
Sign border		GREY	Area 1.19sq.m																									
Sign background																												
Material	Class 2																											
BURREN VISITOR SIGNAGE																												



'x' - height	50mm		
Letter colour	WHITE	SIGN FACE	
Letter background	BROWN	Width	1100mm
Sign border	WHITE	Height	480mm
		Area	.530sq.m
Material Class 2			
Note: Edge of sign must be at least 1250 from edge of carriageway			
Note: A similar advance sign is also appropriate for Viewing points.			

BURREN VISITOR SIGNAGE	ATTRACTION SITE ADVANCE SIGN	Sign Reference No: 5
------------------------	------------------------------	----------------------



'x' - height	50mm	WHITE	SIGN FACE
Letter colour		BROWN	Width 970mm
Letter background		WHITE	Height 229mm
Sign border			Area .222sq.m
Material/Class 2			
Note: Edge of sign must be at least 1250 from edge of carriageway			

BURREN VISITOR SIGNAGE

ATTRACTION SITE ENTRANCE SIGN

Sign Reference No: 6

					<table><tr><td>'x' - height</td><td>70mm</td><td>WHITE</td><td>SIGN FACE</td></tr><tr><td>Letter colour</td><td></td><td>BROWN</td><td>Width 1888mm</td></tr><tr><td>Letter background</td><td></td><td>WHITE</td><td>Height 808mm</td></tr><tr><td>Sign border</td><td></td><td></td><td>Area 1.525sq.m</td></tr><tr><td>Material</td><td>Class 2</td><td></td><td></td></tr></table> Note: Edge of sign must be at least 1250 from edge of carriageway	'x' - height	70mm	WHITE	SIGN FACE	Letter colour		BROWN	Width 1888mm	Letter background		WHITE	Height 808mm	Sign border			Area 1.525sq.m	Material	Class 2			VIEWING POINT ENTRANCE SIGN	Sign Reference No: 7
	'x' - height	70mm	WHITE	SIGN FACE																							
	Letter colour		BROWN	Width 1888mm																							
	Letter background		WHITE	Height 808mm																							
	Sign border			Area 1.525sq.m																							
	Material	Class 2																									
BURREN VISITOR SIGNAGE																											

2.1 Signage Suite

Warning Signs for Motorists



x-height	70mm	
Symbol Height	620mm	
Symbol colour	BLACK	SIGN FACE
Symbol background	WHITE	Width 910mm
SIGN background	GREY	Height 1600mm
Material	Class 2	Area 1.45sq.m
Note Edge of sign must be at least 1250 from edge of carriageway		

BURREN VISITOR SIGNAGE	NARROW ROAD WARNING	Sign Reference No: 9
------------------------	---------------------	----------------------



Symbol	Height	xxxxmm	BLACK	SIGN FACE
Symbol colour			YELLOW	Width
Symbol background			BLACK	Height
SIGN background			Class 2	Area
Material				
Note				
1) Sign dimensions are as per RSA (Road Safety Authority) guidelines				
2) Edge of sign must be at least 1250 from edge of carriageway				

BURREN VISITOR SIGNAGE

WARNING: CYCLISTS USING THE ROAD

Sign Reference No: 10



Symbol Height	xxxxmm	SIGN FACE
Symbol colour	BLACK	
Symbol background	YELLOW	Width xxxmm
SIGN background	BLACK	Height xxxmm
Material	Class 2	Area xxxsq.m
Note		
1) Sign dimensions are as per RSA (Road Safety Authority) guidelines		
2) Edge of sign must be at least 1250 from edge of carriageway		

BURREN VISITOR SIGNAGE	WARNING: WALKERS USING THE ROAD	Sign Reference No: 11
------------------------	---------------------------------	-----------------------

2.2 Signage Suite

Signs for Walkers and Cyclists

1060mm STRAIGHT ON  TURN  DETAIL Turn-signpost Note: Symbol is set below surface of wood.  100mm  <table><tr><td>Symbol colour</td><td>WHITE</td><td>Symbol</td></tr><tr><td>Arrow colour in accordance with colour code for Burren route network</td><td></td><td>Width 100mm</td></tr><tr><td></td><td></td><td>Height 140mm</td></tr><tr><td></td><td></td><td>Post height 1060mm</td></tr><tr><td colspan="3">Material: Treated and painted wood.</td></tr><tr><td colspan="3">Note: This sign is modelled on the official wooden post signage for long distance walking routes. To avoid any confusion with the Burren Way, which is an established long distance walking route, arrow symbols should NOT be coloured yellow. The plastic reflective walking signs in current use should not be used outside of villages.</td></tr></table>	Symbol colour	WHITE	Symbol	Arrow colour in accordance with colour code for Burren route network		Width 100mm			Height 140mm			Post height 1060mm	Material: Treated and painted wood.			Note: This sign is modelled on the official wooden post signage for long distance walking routes. To avoid any confusion with the Burren Way, which is an established long distance walking route, arrow symbols should NOT be coloured yellow. The plastic reflective walking signs in current use should not be used outside of villages.			BURREN VISITOR SIGNAGE	BURREN WALKING ROUTE SIGN	Sign Reference No: 12
Symbol colour	WHITE	Symbol																			
Arrow colour in accordance with colour code for Burren route network		Width 100mm																			
		Height 140mm																			
		Post height 1060mm																			
Material: Treated and painted wood.																					
Note: This sign is modelled on the official wooden post signage for long distance walking routes. To avoid any confusion with the Burren Way, which is an established long distance walking route, arrow symbols should NOT be coloured yellow. The plastic reflective walking signs in current use should not be used outside of villages.																					

				
		VISITOR INFORMATION SIGN		Sign Reference No: 15
BURREN VISITOR SIGNAGE				

'x' - height	70mm		
Letter colour	WHITE	SIGN FACE	
Letter background	BROWN	Width	xxxmm
Sign border	WHITE	Height	xxxmm
Material/Class	2	Area	xxxsq.m
Note Edge of sign must be at least 1250 from edge of carriageway			

2.3 Signage Suite

Visitor Information Boards

Cora Finne Corrofin

BURREN VILLAGE
SRAÍDBHAILE BÓIRNE



The village takes its name from an ancient fording place on the river Begaun associated in legend with the romantic hero Flann Mac Cumhaill and his chieftain warrior band.

Ireland's answer to King Arthur and his Knights. The hotelstead is known as Clare Label lands and Lake Inchiquin beside the village - often referred to as the "Kilnarry of Clare" was the setting for Barker's well known An Angler's Paradise.


LOCAL SERVICES

advertisement	advertisement	advertisement
advertisement	advertisement	advertisement
advertisement	advertisement	advertisement

Set in the unique Burren landscape, Corrofin is an old settlement of considerable historical importance having its roots in an estate village created to service the O'Brien harouny of Inchiquin. Catherine Begley wife of James O'Brien and first cousin to the two Queens Anne built St Catherine's Church in the early eighteenth century.

An Angler's Paradise





The Burren Code

THE BURREN, WITH ITS FASCINATING NATURAL ENVIRONMENT AND ABUNDANCE OF CULTURAL REMAINS, IS AN IMPORTANT, YET FRAGILE, RESOURCE TO BE ENJOYED, RESPECTED AND CONSERVED FOR FUTURE GENERATIONS.

Support the principles of the Burren Code to help safeguard this important landscape:

- Leave the litter-free pavement
- Do not feed or touch habitats and leave wildflowers undisturbed
- Take care not to damage monuments, walls and buildings
- Respect landowners, their property and privacy
- Park and camp in designated areas.

LEAVE NO TRACE OF YOUR VISIT, TAKE NOTHING BUT MEMORIES... AND PHOTOGRAPHS

As you find it fresh habitats and lower wilderness undisturbed

theBurren comes alive!

*The Burren National Park and all its products are based on "The Burren National Park" 1997 and are provided by the following environment, community and tourism to conserve the Burren

www.burren.ie

Visitor Information Board Template



The Burren Code

THE BURREN, WITH ITS FASCINATING NATURAL ENVIRONMENT AND ABUNDANCE OF CULTURAL REMAINS, IS AN IMPORTANT, YET FRAGILE, RESOURCE TO BE ENJOYED, RESPECTED AND CONSERVED FOR FUTURE GENERATIONS.

Support the principles of the Burren Code to help safeguard this important landscape:

- Leave the litter-free pavement
- Do not feed or touch habitats and leave wildflowers undisturbed
- Take care not to damage monuments, walls and buildings
- Respect landowners, their property and privacy
- Park and camp in designated areas.

LEAVE NO TRACE OF YOUR VISIT, TAKE NOTHING BUT MEMORIES... AND PHOTOGRAPHS

As you find it fresh habitats and lower wilderness undisturbed

theBurren comes alive!

*The Burren National Park and all its products are based on "The Burren National Park" 1997 and are provided by the following environment, community and tourism to conserve the Burren

www.burren.ie

Visitor Information Board Template



The Burren Code

THE BURREN, WITH ITS FASCINATING NATURAL ENVIRONMENT AND ABUNDANCE OF CULTURAL REMAINS, IS AN IMPORTANT, YET FRAGILE, RESOURCE TO BE ENJOYED, RESPECTED AND CONSERVED FOR FUTURE GENERATIONS.

Support the principles of the Burren Code to help safeguard this important landscape:

- Leave the litter-free pavement
- Do not feed or touch habitats and leave wildflowers undisturbed
- Take care not to damage monuments, walls and buildings
- Respect landowners, their property and privacy
- Park and camp in designated areas.

LEAVE NO TRACE OF YOUR VISIT, TAKE NOTHING BUT MEMORIES... AND PHOTOGRAPHS

As you find it fresh habitats and lower wilderness undisturbed

theBurren comes alive!

*The Burren National Park and all its products are based on "The Burren National Park" 1997 and are provided by the following environment, community and tourism to conserve the Burren

www.burren.ie

BURREN VISITOR SIGNAGE
VISITOR INFORMATION BOARD TEMPLATE
Sign Reference No: 16

2.4 Signage Suite

Town and Village Name Boards

